

From: ["Kolosseus, Andrew \\(\ECY\\) " <AKOL461@ECY.WA.GOV>](mailto:AKOL461@ECY.WA.GOV)
To: ["Zell, Christopher" <zell.christopher@epa.gov>](mailto:zell.christopher@epa.gov)
["Mann, Laurie" <mann.laurie@epa.gov>](mailto:mann.laurie@epa.gov)
["Croxtton, David" <Croxtton.David@epa.gov>](mailto:Croxton.David@epa.gov)
Date: 6/28/2017 10:09:30 AM
Subject: Next version of submittal letter

Chris, Laurie, and Dave:

Here's the version of the letter with the modified language. Let me know if this works for you, and we'll try to get it to you this week.

Andrew

Andrew Kolosseus
Washington State Dept. of Ecology
PO Box 47775
Olympia, WA 98504-7775
(360) 407-7543

June XX, 2017

Christine Psyk, Director
Water Division, Office of Water and Watersheds
U.S. EPA Region 10
Attention: Chris Zell
1200 Sixth Avenue
Seattle, WA 98101

Dear Mrs. Psyk:

In accordance with 40 CFR 130.7 and Section 303(d)(1) of the Clean Water Act (CWA), the Washington State Department of Ecology (Ecology) submits the *Deschutes River, Percival Creek, and Budd Inlet Tributaries Multi-Parameter Total Maximum Daily Load (TMDL) Water Quality Improvement Report* for your review and approval. This TMDL addresses and establishes load allocations for temperature, fecal coliform bacteria, and fine sediment for your approval. The purpose of this letter is to ask EPA to focus on 23 segments impaired by water temperature, fecal coliform bacteria, and fine sediment.

The Deschutes River, Percival Creek, and Budd Inlet Tributaries Multi-parameter TMDL addresses 23 impaired segments on the 2014 Water Quality Assessment (303(d) list). The total number of TMDLs within this submission according to the 1996 counting convention is 18 (see Attachment A). The table in Attachment A clarifies and counts the water body segments addressed within this TMDL by showing their names and identification numbers.

The Water Quality Improvement Report with Implementation Plan includes all the requirements and other information necessary to determine the statutory and regulatory adequacy of this TMDL. In addition, the public participation during the development of the TMDL is captured along with a responsiveness summary in Appendix F. You will find the report at: <https://fortress.wa.gov/ecy/publications/SummaryPages/1510012.html>.

The TMDL includes allocations and an implementation plan for the 23 impaired segments for which this letter seeks approval. Ecology will fully implement these allocations and proceed with all aspects of the implementation plan within the Deschutes River and Budd Inlet Tributaries watershed. Meeting the allocations and completing the implementation plan are required to return the Deschutes River to a healthy state and protect aquatic life and recreational uses. Among the most critical implementation actions are establishment of forested stream-side vegetation corridors and conservation of existing stream-side vegetation corridors on the Deschutes River and other streams. Establishing these stream-side vegetation corridors is required to make significant progress on water quality problems. This will take a concerted effort on behalf of land owners, non-profit organizations, and governments in the watershed.

Ecology augments the TMDL by clarifying the following two wasteload allocations for temperature to all permitted stormwater sources within the TMDL boundary.

1. All discharges shall not cause more than a 0.3°C increase in background stream temperature due to the combined effects of all human activities. That allowable 0.3°C

increase is quantified using the following equation, which provides a numeric daily loading value to assess compliance with the allocation.

$$T_{eff} = T + 0.3 * \frac{Q + Q_{eff}}{Q_{eff}}$$

Where:

T = Background daily maximum temperature

Q = Daily average stream flow before discharge

Q_{eff} = Daily average stormwater discharge flow

T_{eff} = Temperature of allowable stormwater discharge

2. All discharges from stormwater systems shall not exceed T_{eff} calculated above and the numeric water quality standard found in WAC 173-201A of 17.5°C for the 7-DADMax.

In addition, Ecology clarifies the TMDL by expressing bacteria allocation in daily units (see Attachment B).

Ecology is currently preparing a dissolved oxygen TMDL for Budd Inlet. The Budd Inlet TMDL will set nutrient load and wasteload allocations for all sources of nutrient pollution to the Inlet. Such allocations will include aggregated or distributed allocations to pollution sources within the Deschutes River watershed and other tributaries to the Inlet as needed to achieve marine dissolved oxygen water quality standards. The Budd Inlet TMDL implementation plan will include nutrient reduction strategies that align with Puget Sound management objectives that target improved ecosystem health and attainment of water quality standards. More information on the Budd Inlet Dissolved Oxygen TMDL is available on our website at <http://www.ecy.wa.gov/programs/wq/tmdl/deschutes/BuddInletCapitolLkTMDL.html>. We will continue to work directly with EPA staff on the development of this TMDL. According to our current schedule, we plan to send a draft Budd Inlet TMDL to EPA for your full review by 2020 and send a completed TMDL for your approval by 2021.

Impairments for dissolved oxygen and pH referenced in the December 17, 2015 submittal will be addressed by conducting the actions specified in the TMDL's implementation plan. The implementation plan addresses sources of pollution that affect five parameters: temperature, bacteria, fine sediment, dissolved oxygen, and pH. The TMDL implementation plan calls for actions to be completed by 2030. Compliance with numeric water quality standards will take longer since it takes time to achieve full mature riparian vegetation after it is planted. If the actions included in the implementation plan are not met by 2030 or the river is not on target to meet standards after 2030, Ecology will submit an updated TMDL for the Deschutes River that addresses the failing parameters within five years.

Ecology is confident that the complete work outlined in the report meets the objectives of the CWA and will result in achieving water quality standards for temperature, fecal coliform bacteria, and fine sediment in the Deschutes River, Percival Creek, and Budd Inlet Tributaries. Your review and approval are greatly appreciated.

If you have questions or need clarification, please contact Andrew Kolosseus at andrew.kolosseus@ecy.wa.gov or (360) 407-7543.

Sincerely,

Heather R. Bartlett
Water Quality Program Manager
Enclosures

cc: Laurie Mann, Region 10 EPA

Chris Zell, Region 10 EPA

bcc: Andrew Kolosseus, Rich Doenges, Diane Dent, Helen Bresler

Attachment A

Listing ID	Water Quality Assessment						Waterbody	Parameter	Reach Code	Count	
	2014	2012	2008	2004	1998	1996				2014	1996
45462	5	5	5	3	N	N	ADAMS CREEK	Bacteria	17110019007395	1	1
45695	5	5	5	3	N	N	ADAMS CREEK	Bacteria	17110019007396	1	--
16722	5	1	1	5	Y	Y	DESCHUTES RIVER	Bacteria	17110016000007	1	1
45480	5	5	5	3	N	N	ELLIS CREEK	Bacteria	17110019007661	1	1
45731	5	2	2	3	N	N	ELLIS CREEK, N.F.	Bacteria	17110019007581	1	1
3758	5	5	5	5	Y	Y	INDIAN CREEK	Bacteria	17110019020859	1	1
74218	5	3	3	3	N	Y	INDIAN CREEK	Bacteria	17110019000800	1	--
45212	5	5	5	3	N	Y	MISSION CREEK	Bacteria	17110019020856	1	1
3759	5	5	5	5	Y	Y	MOXLIE CREEK	Bacteria	17110019007890	1	1
3761	5	5	5	5	Y	Y	MOXLIE CREEK	Bacteria	17110019007948	1	--
3763	5	5	5	5	Y	Y	REICHEL CREEK	Bacteria	17110016000057	1	1
45559	5	5	5	3	N	N	SCHNEIDER CREEK	Bacteria	17110019007705	1	1
46061	5	5	5	3	N	N	SPURGEON CREEK	Bacteria	17110016000044	1	1
6232	5	5	5	5	Y	N	DESCHUTES RIVER	Fine Sediment	17110016000014	1	1
6576	5	5	5	5	Y	Y	DESCHUTES RIVER	Temperature	17110016000007	1	1
48711	5	5	5	3	N	N	DESCHUTES RIVER	Temperature	17110016000008	1	--
48713	5	5	5	3	N	N	DESCHUTES RIVER	Temperature	17110016000009	1	--
74253	2	3	3	3	N	N	BUTLER CREEK	Bacteria	17110019013133	1	1
45749	2	2	2	3	N	N	BUTLER CREEK, NW.F.	Bacteria	17110019007449	1	1
45343	2	2	2	3	N	N	BUTLER CREEK, SE.F.	Bacteria	17110019013134	1	1
45342	2	5	5	3	N	N	BUTLER CREEK, SW.F.	Bacteria	17110019007492	1	1
74210	2	3	3	3	N	N	DESCHUTES RIVER	Bacteria	17110016000012	1	1
46415	2	2	2	3	N	N	PERCIVAL CREEK	Bacteria	17110016007733	1	1
										23	18

Attachment B. Bacteria Daily Load Expressions for Water Quality Limited Segments in the Deschutes River, Percival Creek, and Budd Inlet Tributaries.

Listing ID ¹	Waterbody	Critical Flow ⁴	Water Quality Target ⁵	Load Capacity ⁶	Wasteload Allocation ⁷	Load Allocation ⁷	Margin of Safety
(#)	(name)	(ft ³ sec ⁻¹)	(fecal coliform in col.100 mL ⁻¹)	(cfu day ⁻¹)	(cfu day ⁻¹)	(cfu day ⁻¹)	(cfu day ⁻¹)
TBD	Adams Creek	0.9	19	3.96E+08	1.98E+08	1.98E+08	implicit
TBD	Butler Creek	0.4	31	3.18E+08	1.59E+08	1.59E+08	implicit
TBD	Upper Deschutes River ²	73.8	12	2.21E+10	1.10E+10	1.10E+10	implicit
TBD	Lower Deschutes River ³	100.6	37	9.04E+10	4.52E+10	4.52E+10	implicit
TBD	Ellis Creek	0.9	27	5.90E+08	2.95E+08	2.95E+08	implicit
TBD	Indian Creek	1.3	31	1.02E+09	5.10E+08	5.10E+08	implicit
TBD	Mission Creek	0.5	29	3.26E+08	1.63E+08	1.63E+08	implicit
TBD	Moxlie Creek	3.3	31	2.50E+09	1.25E+09	1.25E+09	implicit
TBD	Percival Creek	10.1	19	4.74E+09	2.37E+09	2.37E+09	implicit
TBD	Reichel Creek	1.9	26	1.25E+09	6.26E+08	6.26E+08	implicit
TBD	Schneider Creek	0.7	26	4.60E+08	2.30E+08	2.30E+08	implicit
TBD	Spurgeon Creek	5.3	42	5.45E+09	2.72E+09	2.72E+09	implicit

¹ Water Quality Limited Segment number as specified in 2014/2016 303(d) list

² Applies to reaches upstream of Offutt Lake

³ Applies to reaches downstream of Offutt Lake

⁴ 30Q10 flow estimate based on data from USGS Gage 12080010 Deschutes River at E Street Bridge at Tumwater, WA (1991 - 2016)

⁵ Geometric mean bacteria density needed to achieve Part 2 of the water quality standard according to statistical rollback method

⁶ Percent reductions reported in TMDL for each monitoring station remain effective as implementation targets

⁷ Aggregate allocation to be achieved by all current and future sources of bacteria pollution